

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United. States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION N	NO. F	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/840,114	0/840,114 05/06/2004		Heinfried Hoffmann	P04,0153	7271
26574	7590	07/27/2006		EXAM	INER
	HARDIN,		BARAN, MARY C		
PATENT DEPARTMENT 6600 SEARS TOWER				ART UNIT	PAPER NUMBER
CHICAG	O, IL 6060	06-6473	2857		
				DATE MAILED: 07/27/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

		$\mathcal{W}_{\mathcal{L}}$					
·	Application No.	Applicant(s)					
	10/840,114	HOFFMANN ET AL.					
Office Action Summary	Examiner	Art Unit					
	Mary Kate B. Baran	2857					
The MAILING DATE of this communication Period for Reply	appears on the cover sheet with	the correspondence address					
A SHORTENED STATUTORY PERIOD FOR REWHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFF after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period for reply within the set or extended period for reply will, by stany reply received by the Office later than three months after the meanned patent term adjustment. See 37 CFR 1.704(b).	B DATE OF THIS COMMUNICA R 1.136(a). In no event, however, may a rep riod will apply and will expire SIX (6) MONTH atute, cause the application to become ABAI	ATION. lly be timely filed HS from the mailing date of this communication. NDONED (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 1	<u>0 May 2006</u> .						
2a) This action is FINAL . , 2b) ⊠ 1							
3) Since this application is in condition for allo	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice und	er <i>Ex parte Quayle</i> , 1935 C.D.	11, 453 O.G. 213.					
Disposition of Claims							
4)⊠ Claim(s) <u>1-10 and 13-19</u> is/are pending in t	he application.						
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-10 and 13-19</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction an	d/or election requirement.						
Application Papers							
9)☐ The specification is objected to by the Exam	niner.						
10)⊠ The drawing(s) filed on <u>06 May 2004</u> is/are:							
Applicant may not request that any objection to							
Replacement drawing sheet(s) including the cor	•	•					
11) The oath or declaration is objected to by the	e Examiner. Note the attached	Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119							
12)⊠ Acknowledgment is made of a claim for fore a)⊠ All b)☐ Some * c)☐ None of:	eign priority under 35 U.S.C. §	119(a)-(d) or (f).					
 Certified copies of the priority docum 	ents have been received.						
2. Certified copies of the priority docum	·	·					
3. Copies of the certified copies of the p	•	eceived in this National Stage					
application from the International But		ecoived					
* See the attached detailed Office action for a	list of the certified copies flot re	eceivea.					
Attachment(s)							
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) 	4) Interview Su	mmary (PTO-413) /Mail Date					
 2) Notice of Dransperson's Patent Drawing Review (P10-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB Paper No(s)/Mail Date 		ormal Patent Application (PTO-152)					

Art Unit: 2857

DETAILED ACTION

Response to Amendment

1. The action is responsive to the Amendment filed on 10 May 2006. Claims 1-10 and 13-19 are pending. Claims 1, 7-9, 13, 14 and 17 are amended. Claims 18 and 19 are new.

Claim Objections

2. Claim 19 is objected to because of the following informalities: claim 19 page 6 line 2, "control element" should be – process valve –.

Appropriate correction is required.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 8 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 8 recites, "partially hydraulically operating the actuator, which is a hydraulic actuator"; however, the "actuator" recited in claim 1, from which claim 8 depends, is a pneumatic actuator. It is not clear from the claimed language how a pneumatic actuator can be operated hydraulically.

Application/Control Number: 10/840,114 Page 3

Art Unit: 2857

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-7, 9, 10 and 15-19 are rejected under 35 U.S.C. 102(e) as being anticipated by Snowbarger et al. (U.S. Patent No. 7,079,021) (hereinafter Snowbarger).

Referring to claim 1, Snowbarger teaches a method to test operating safety of a process control device (see Snowbarger, column 3 lines 6-14) designed to close or open a pipe of a process system in the event of an incident (see Snowbarger, column 3 lines 25-35) comprising a process valve and a pneumatic actuator to move the valve, a position controller in a safety circuit, the pneumatic actuator being coupled to a control unit that is connected to the position controller for exchange of control signals, such that the pneumatic actuator can be operated by way of the control unit to move process valve and the process valve can be moved from an initial condition to a final condition in the event of an incident by a control of the actuator by the control unit; and a test cycle for the process control device (see Snowbarger, column 3 lines 25-43) comprising: generating a control signal for partial movement of the process valve aided by the position controller (see Snowbarger, column 3 lines 36-38); transferring the control signal from the position controller to the control unit via a signal connection (see

Art Unit: 2857

Snowbarger, column 4 lines 12-14); controlling the pneumatic actuator dependent on the control signal aided by the control unit to operate the pneumatic actuator for the partial movement of the process value from the initial condition (see Snowbarger, column 4 lines 12-23); detecting, via a measurement device, measurement signals that indicate the partial movement of the process valve from the initial condition (see Snowbarger, column 3 lines 36-43); and returning the control element to the initial condition (see Snowbarger, column 3 lines 39-40).

Referring to claim 2, Snowbarger teaches detecting time resolved path signals upon detection of the measurement signals with the aid of the measurement device (see Snowbarger, column 9 lines 42-48).

Referring to claim 3, Snowbarger teaches determining movement parameters from the detected time resolved path signals (see Snowbarger, column 9 lines 52-62).

Referring to claim 4, Snowbarger teaches executing a leakage measurement upon detection of the measurement signals, aided by the measurement device (see Snowbarger, column 4 lines 23-27).

Referring to claim 5, Snowbarger teaches electronically logging of a course of the test cycle and electronically storing the course in a storage device (see Snowbarger, column 3 line 51-62).

Application/Control Number: 10/840,114

Art Unit: 2857

Referring to claim 6, Snowbarger teaches activating the test cycle for the process control device utilizing a remote control (see Snowbarger, column 4 lines 50-67).

Referring to claim 7, Snowbarger teaches partially venting the actuator, which is a pneumatic actuator, to partially move the control element as a reaction to the controlling by the control unit (see Snowbarger, column 4 lines 23-27).

Referring to claim 9, Snowbarger teaches a device to test the operating safety of a process control device designed to close or open a pipe of a process system in the event of an incident (see Snowbarger, column 3 lines 25-35), comprising: a process valve (see Snowbarger, column 3 lines 25-35); an actuator to move the process valve (see Snowbarger, column 4 lines 6-11); a position controller in a safety circuit (see Snowbarger, column 4 lines 17-19); a control unit that is connected with the position controller configured to exchange control signals and is coupled to the actuator, such that the actuator can be operated via the control unit to move the control element in order to move the control element from an initial condition to a final condition in the event of incident with the aid of a controlling of the actuator by the control unit (see Snowbarger, column 3 lines 25-43); a measurement device configured to acquire measurement signals that indicated a movement of the process valve from the initial condition (see Snowbarger, column 3 lines 36-43); the position controller comprising a control signal generator configured to generate a control signal for a partial movement

Application/Control Number: 10/840,114

Art Unit: 2857

Page 6

of the process valve in the course of a test cycle for the process control device (see Snowbarger, column 4 lines 17-27), and to transmit the control signal via a signal connection from the position controller to the control unit (see Snowbarger, column 4 lines 12-17).

Referring to claim 10, Snowbarger teaches that the control unit and the position controller are redundantly coupled to the actuator to operate the actuator (see Snowbarger, column 4 lines 17-23).

Referring to claim 15, Snowbarger teaches a suppression device to suppress the generation of the control signal for the partial movement of the actuator in the course of the test cycle (see Snowbarger, column 6 lines 41-43).

Referring to claim 16, Snowbarger teaches a storage device configured to store electronic information concerning the test cycle (see Snowbarger, column 3 lines 51-62).

Referring to claim 17, Snowbarger teaches an evaluation device configured to automatically evaluate the measurement signals that indicate a movement of the control element from the initial condition (see Snowbarger, column 4 lines 25-27).

١

Referring to claim 18, Snowbarger teaches that the detecting is performed as a direct detecting of the process valve and the measurement signals are directly taken from the process valve (see Snowbarger, column 3 lines 40-43).

Referring to claim 19, Snowbarger teaches that the measurement device is located between the process valve and the actuator (see Snowbarger, Figure 1).

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Snowbarger et al. (U.S. Patent No. 7,079,021) (hereinafter Snowbarger) in view of Rosenberg (U.S. Patent No. 6,300,937).

Referring to claim 13, Snowbarger teaches all the features of the claimed invention except that the measurement device comprises a motion sensor configured to detect the partial movement of the control element.

Rosenberg teaches that the measurement device comprises a motion sensor configured to detect the partial movement of the control element (see Rosenberg, column 8 line 66 – column 9 line 3).

Application/Control Number: 10/840,114 Page 8

Art Unit: 2857

It would have been obvious at the time the invention was made to one of ordinary skill in the art to modify Snowbarger to include the teachings of Rosenberg, because having a motion sensor in the feedback loop would have allowed the skilled artisan to detect any deliberate or unwanted motion for normal control or alarm generation, respectively.

6. Claim 14 is rejected under 35 U.S.C. 103(a) as being unpatentable over Snowbarger et al. (U.S. Patent No. 7,079,021) (hereinafter Snowbarger) in view of Scheideler (U.S. PG-Pub No. US2003/0188583).

Referring to claim 14, Snowbarger teaches all the features of the claimed invention except that the measurement device comprises a motion sensor configured to detect the partial movement of the control element.

Scheideler teaches that the measurement device comprises a motion sensor configured to detect the partial movement of the control element (see Scheideler, page 4 [0088]).

It would have been obvious at the time the invention was made to one of ordinary skill in the art to modify Snowbarger to include the teachings of Scheideler, because having a sound sensor in the feedback loop would have allowed the skilled artisan to detect any deliberate or unwanted vibration for normal control or alarm generation, respectively.

Response to Arguments

Art Unit: 2857

7. Applicant's arguments with respect to claims 1-10 and 13-19 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mary Kate B. Baran whose telephone number is (571) 272-2211. The examiner can normally be reached on Monday - Friday from 9:00 am to 6:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc S. Hoff can be reached on (571) 272-2216. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

20 July 2006